

ENG: The measurements mentioned in the drawings and in TimberIN websites are only approximate data. They will differ from the measurements of the finished product. It is due to the fact that our products are individually designed and hand-made. However, if one or more measurements are very important, please mention before ordering. We will pay big attention to your requirements in the production process. This will ensure that the product will be produced as closely as possible to your requirements.

DE: Die in den Zeichnungen und auf den TimberIN-Websites genannten Maße sind nur ungefähre Angaben. Sie unterscheiden sich von den Maßen des fertigen Produkts. Dies liegt daran, dass unsere Produkte individuell gestaltet und handgefertigt werden. Wenn jedoch eine oder mehrere Messungen sehr wichtig sind, geben Sie dies bitte vor der Bestellung an. Wir werden Ihre Anforderungen im Produktionsprozess sehr berücksichtigen. Dadurch wird sichergestellt, dass das Produkt so genau wie möglich Ihren Anforderungen entspricht.

FR: Les mesures mentionnées dans les dessins et sur les sites Web TimberIN ne sont que des données approximatives. Ils différeront des mesures du produit fini. Cela est dû au fait que nos produits sont conçus individuellement et fabriqués à la main. Cependant, si une ou plusieurs mesures sont très importantes, merci de le mentionner avant de commander. Nous prêterons une grande attention à vos besoins dans le processus de production. Cela garantira que le produit sera fabriqué aussi près que possible de vos besoins.

DK: Målingerne nævnt på tegningerne og på TimberIN-websteder er kun omtrentlige data. De afviger fra målingerne af det færdige produkt. Det skyldes, at vores produkter er individuelt designet og håndlavet. Hvis en eller flere målinger dog er meget vigtige, skal du nævne det før du bestiller. Vi vil være meget opmærksomme på dine krav i produktionsprocessen. Dette vil sikre, at produktet produceres så tæt som muligt efter dine krav.


NO: Målingene nevnt på tegningene og på TimberIN nettsteder er bare omtrentlige data. De vil avvike fra målingene av det ferdige produktet. Det skyldes det faktum at produktene våre er individuelt designet og håndlaget. Imidlertid, hvis en eller flere målinger er veldig viktige, må du nevne før du bestiller. Vi vil ta stor vekt på dine krav i produksjonsprosessen. Dette vil sikre at produktet blir produsert så nært som mulig dine behov.

IT: Le misure menzionate nei disegni e nei siti Web di TimberIN sono solo dati approssimativi. Differiranno dalle misure del prodotto finito. È dovuto al fatto che i nostri prodotti sono progettati e realizzati a mano individualmente. Tuttavia, se una o più misurazioni sono molto importanti, si prega di menzionare prima di ordinare. Presteremo grande attenzione alle vostre esigenze nel processo di produzione. Ciò garantirà che il prodotto sarà prodotto il più vicino possibile alle vostre esigenze.

NL: De in de tekening en op TimberIN-websites genoemde metingen zijn slechts benaderende gegevens. Ze zullen verschillen van de afmetingen van het eindproduct. Het is te wijten aan het feit dat onze producten individueel zijn ontworpen en met de hand zijn gemaakt. Als een of meer metingen erg belangrijk zijn, vermeld dit dan voordat u bestelt. We zullen veel aandacht besteden aan uw eisen in het productieproces. Dit zorgt ervoor dat het product zo dicht mogelijk bij uw eisen wordt geproduceerd.

SWE: Mätningarna som nämns på ritningarna och på TimberIN-webbplatser är endast ungefärliga data. De kommer att skilja sig från måtten på den färdiga produkten. Det beror på att våra produkter är individuellt designade och handgjorda. Om en eller flera mätningar är mycket viktiga, berätta dock innan du beställer. Vi kommer att ägna stor uppmärksamhet åt dina krav i produktionsprocessen. Detta kommer att säkerställa att produkten produceras så nära dina krav som möjligt.

PL: Pomiarы wymienione na rysunkach i na stronach internetowych TimberIN są jedynie danymi przybliżonymi. Będą się różnić od pomiarów gotowego produktu. Wynika to z faktu, że nasze produkty są indywidualnie zaprojektowane i wykonane ręcznie. Jeśli jednak co najmniej jeden pomiar jest bardzo ważny, należy o tym wspomnieć przed złożeniem zamówienia. Zwrócimy dużą uwagę na Twoje wymagania w procesie produkcyjnym. Zapewni to, że produkt będzie produkowany jak najbliżej Twoich wymagań.



Contents

ø1800 MM NEULAR HOT TUB WITH INTEGRATED PELLET STOVE (SMART) 3

ø2000 MM NEULAR HOT TUB WITH INTEGRATED PELLET STOVE (SMART) 12

ø1800 MM NEULAR HOT TUB EXTERNAL WOOD – FIRED STOVE 21

ø2000 MM NEULAR HOT TUB EXTERNAL WOOD – FIRED STOVE 31


ø1800 MM NEULAR HOT TUB WITH INTEGRATED WOOD-FIRED STOVE 41

ø2000 MM NEULAR HOT TUB WITH INTEGRATED WOOD-FIRED STOVE 50

ø1800 MM NEULAR HOT TUB EXTERNAL PELLET STOVE 59

ø2000 MM NEULAR HOT TUB EXTERNAL PELLET STOVE 69

Ø1800 MM NEULAR HOT TUB WITH INTEGRATED PELLET STOVE (SMART)




MODEL	WELLNESS NEULAR
No. of bathers	4-6
Water capacity	1300 l
Total weight of the hot tub	350 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional




[3D view of this model](#)



GENERAL INFO





MODEL	WELLNESS NEULAR
Inside diameter	1800 mm
Outside diameter	2000 mm
Height inner	950 mm
Height outer	1000 mm for integrated wood-burner tubs / 1160 mm for integrated smart tubs
Width of the benches	340 mm
Height of the benches	370 mm
Child's seat measurements	650 mm x 900 mm
Bottom diameter	650 mm
Bottom circle depth	370 mm
Fiberglass edge width	100 mm
Pellet doors measurements (if pellet heater is selected)	380 mm x 550 mm
Chimney length	2000 mm



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN




BLACK



GREEN




GREY




timberin


LEATHER LID



MODEL	LEATHER LID
Diameter	2000 mm
Weight	15 kg
Side leather overlay	150 mm
Insulation thickness	70 mm




EXTERNAL WATER RELEASE TAP





MODEL	CONNECTIONS
Filter connections* (AISI 316) installed upon request	1 inch / 25 mm
External water release tap (AISI 316)	1 inch / 25 mm


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	1920 mm
Height	140 mm




NEULAR BOXES FOR SPA SYSTEMS STORAGE



MODEL	NEULAR BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm


WELLNESS 1800 DELIVERY INFO

A




MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2100 mm Length: 2100 mm Weight 350 kg
On the pallet packed model measurements. B - for hot tubs that: • does not meet the conditions for the transport of hot tub A*	Height: 2200 mm Width: 1300 mm Length: 2100 mm Weight 150 kg
Additional side package (stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 25 kg

B



* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).

Ø2000 MM NEULAR HOT TUB WITH INTEGRATED PELLET STOVE (SMART)




MODEL	WELLNESS NEULAR
No. of bathers	6-8
Water capacity	1500 l
Total weight of the hot tub	370 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional




[3D view of this model](#)



GENERAL INFO





MODEL	WELLNESS NEULAR
Inside diameter	2030 mm
Outside diameter	2250 mm
Height inner	850 mm
Height outer	1000 mm for integrated wood-burner tubs / 1160 mm for integrated smart tubs
Width of the benches	390 mm
Height of the benches	230 mm
Bottom diameter	1000 mm
Fiberglass edge width	100 mm
Pellet doors measurements (if pellet heater is selected)	380 mm x 550 mm
Chimney length	2000 mm



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN



BLACK



GREEN





GREY




timberin

LEATHER LID

MODEL	LEATHER LID
Diameter	2250 mm
Weight	20 kg
Side leather overlay	100 mm
Insulation thickness	70 mm




EXTERNAL WATER RELEASE TAP




MODEL	CONNECTIONS
Filter connections* (AISI 316) installed upon request.	1 inch / 25 mm
External water release tap (AISI 316)	1 inch / 25 mm


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	~ 2150 mm
Height	140 mm





NEULAR BOXES FOR SPA SYSTEMS STORAGE



MODEL	NEULAR BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm



A



WELLNESS 2000 DELIVERY INFO


MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with:	Height: 1300 mm Width: 2300 mm Length: 2300 mm
• neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Weight 370 kg
On the pallet packed model measurements. B - for hot tubs with:	Height: 2450 mm Width: 1300 mm Length: 2350 mm
• does not meet the conditions for the transport of hot tub A*	Weight 180 kg
Additional side package (stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm
	Weight 25 kg

B



* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).


Ø1800 MM NEULAR HOT TUB EXTERNAL WOOD – FIRED STOVE



MODEL	HOT TUB
No. of bathers	4-6
Water capacity	1400 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional

 [3D view of this model](#)


GENERAL INFO





MODEL	HOT TUB WITHOUT CHILD SEAT
Inside diameter	1800 mm
Outside diameter	2000 mm
Height inner	950 mm or 850 mm
Height outer	950 mm or 1050 mm
Width of the benches	340 mm
Height of the benches	350 mm
Bottom circle diameter	790 mm
Fiberglass edge width	100 mm
Chimney length	2000 mm

EXTERNAL WOOD BURNER



BFTS-50, 22kW



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN




BLACK



GREEN




GREY




timberin


LEATHER LID



MODEL	LEATHER LID
Diameter	2000 mm
Weight	15 kg
Side leather overlay	150 mm
Insulation thickness	70 mm




WATER RELEASE





MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	1920 mm
Height	140 mm



BOXES FOR SPA SYSTEMS STORAGE




MODEL	BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm


A

1800 DELIVERY INFO

B




MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2100 mm Length: 2100 mm Weight 350 kg
On the pallet packed model measurements. B - for hot tubs with: • does not meet the conditions for the transport of hot tub A*	Height: 2200 mm Width: 1300 mm Length: 2100 mm Weight 150 kg
Additional side package (stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 25 kg



* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).


Ø2000 MM NEULAR HOT TUB EXTERNAL WOOD – FIRED STOVE




MODEL	HOT TUB
No. of bathers	6-8
Water capacity	1550 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional

 [3D view of this model](#)

GENERAL INFO




MODEL	HOT TUB WITHOUT CHILD SEAT
Inside diameter	2030 mm
Outside diameter	2250 mm
Height inner	870 mm
Height outer	880 mm
Width of the benches	400 mm
Height of the benches	180 mm
Bottom circle diameter	930 mm
Fiberglass edge width	110 mm
Chimney length	2000 mm





EXTERNAL WOOD BURNER



BFTS-50, 22kW



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN




BLACK



GREEN





GREY




timberin

LEATHER LID

MODEL	LEATHER LID
Diameter	2250 mm
Weight	20 kg
Side leather overlay	100 mm
Insulation thickness	70 mm




WATER RELEASE





MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	~2150 mm
Height	140 mm




BOXES FOR SPA SYSTEMS STORAGE



MODEL	BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm



A

2000 DELIVERY INFO




MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2300 mm Length: 2300 mm Weight 370 kg
On the pallet packed model measurements. B - for hot tubs with: • does not meet the conditions for the transport of hot tub A*	Height: 2450 mm Width: 1300 mm Length: 2350 mm Weight 180 kg
Additional side package (stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 25 kg

B




* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).

Ø1800 MM NEULAR HOT TUB WITH INTEGRATED WOOD-FIRED STOVE




MODEL	WELNESS
No. of bathers	4-6
Water capacity	1300 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional


GENERAL INFO



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN



BLACK



GREEN




GREY




timberin


LEATHER LID



MODEL	LEATHER LID
Diameter	2000 mm
Weight	15 kg
Side leather overlay	150 mm
Insulation thickness	70 mm




EXTERNAL WATER RELEASE TAP





MODEL	CONNECTIONS
Filter connections* (AISI 316) installed upon request	1 inch / 25 mm
External water release tap (AISI 316)	1 inch / 25 mm


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	1920 mm
Height	140 mm




NEULAR BOXES FOR SPA SYSTEMS STORAGE



MODEL	NEULAR BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm


WELLNESS 1800 DELIVERY INFO

A




MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2100 mm Length: 2100 mm Weight 350 kg
On the pallet packed model measurements. B - for hot tubs with: • does not meet the conditions for the transport of hot tub A*	Height: 2200 mm Width: 1300 mm Length: 2100 mm Weight 150 kg
Additional side package (stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 25 kg

B




* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).

Ø2000 MM NEULAR HOT TUB WITH INTEGRATED WOOD-FIRED STOVE




MODEL	WELLNESS
No. of bathers	6-8
Water capacity	1500 l
Total weight of the hot tub	180 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional


GENERAL INFO



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN




BLACK



GREEN





GREY




timberin

LEATHER LID

MODEL	LEATHER LID
Diameter	2250 mm
Weight	20 kg
Side leather overlay	100 mm
Insulation thickness	70 mm




EXTERNAL WATER RELEASE TAP




MODEL	CONNECTIONS
Filter connections* (AISI 316) installed upon request	1 inch / 25 mm
External water release tap (AISI 316)	1 inch / 25 mm


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	~2150 mm
Height	140 mm





NEULAR BOXES FOR SPA SYSTEMS STORAGE



MODEL	NEULAR BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm



A



WELLNESS 2000 DELIVERY INFO


MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2300 mm Length: 2300 mm Weight 370 kg
On the pallet packed model measurements. B - for hot tubs with: • does not meet the conditions for the transport of hot tub A*	Height: 2450 mm Width: 1300 mm Length: 2350 mm Weight 180 kg
Additional side package (stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 25 kg

B




* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).

Ø1800 MM NEULAR HOT TUB EXTERNAL PELLET STOVE




MODEL	HOT TUB
No. of bathers	4-6
Water capacity	1400 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional

GENERAL INFO





MODEL	HOT TUB
Inside diameter	1800 mm
Outside diameter	2000 mm
Height inner	950 mm or 850 mm
Height outer	950 mm or 1050 mm
Width of the benches	340 mm
Height of the benches	350 mm
Bottom circle diameter	790 mm
Fiberglass edge width	100 mm
Chimney length	2000 mm





EXTERNAL PELLET STOVE



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN




BLACK



GREEN




GREY




timberin


LEATHER LID



MODEL	LEATHER LID
Diameter	2000 mm
Weight	15 kg
Side leather overlay	150 mm
Insulation thickness	70 mm




WATER RELEASE





MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	1920 mm
Height	140 mm




BOXES FOR SPA SYSTEMS STORAGE



MODEL	BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm


A



1800 DELIVERY INFO


MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2100 mm Length: 2100 mm Weight 350 kg
On the pallet packed model measurements. B - for hot tubs with: • does not meet the conditions for the transport of hot tub A*	Height: 2200 mm Width: 1300 mm Length: 2100 mm Weight 150 kg
Additional side package (stairs + external smart heater)	Height: 900 mm Width: 800 mm Length: 1000 mm + Height: 800 mm Width: 1200 mm Length: 1000 mm Weight 150 kg

B




* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pallet (option B).

Ø2000 MM NEULAR HOT TUB EXTERNAL PELLET STOVE




MODEL	HOT TUB
No. of bathers	6-8
Water capacity	1550 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional
ELECTRIC HEATER	optional

GENERAL INFO





MODEL	HOT TUB
Inside diameter	2030 mm
Outside diameter	2250 mm
Height inner	870 mm
Height outer	880 mm
Width of the benches	400 mm
Height of the benches	180 mm
Bottom circle diameter	930 mm
Fiberglass edge width	110 mm
Chimney length	2000 mm





EXTERNAL PELLET STOVE



NEULAR STAIRS



MODEL	NEULAR STAIRS
Height total	560 mm
First step height	280 mm
Width total	650 mm
Length	870 mm
Weight	25 kg



NEULAR PANELLING COLORS

BROWN



BLACK



GREEN





GREY




timberin

LEATHER LID

MODEL	LEATHER LID
Diameter	2250 mm
Weight	20 kg
Side leather overlay	100 mm
Insulation thickness	70 mm




WATER RELEASE




MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel


BASE – SUPPORT FRAME



MODEL	FRAME
Diameter	~ 2150 mm
Height	140 mm




BOXES FOR SPA SYSTEMS STORAGE



MODEL	BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm



2000 DELIVERY INFO

A



MODEL	WELLNESS DELIVERY
On the pallet packed model measurements. A - for hot tubs with: • neular paneling or; • smart integrated heater or; • neular paneling + smart integrated heater	Height: 1300 mm Width: 2300 mm Length: 2300 mm Weight 370 kg
On the pallet packed model measurements. B - for hot tubs with: • does not meet the conditions for the transport of hot tub A*	Height: 2450 mm Width: 1300 mm Length: 2350 mm Weight 180 kg
Additional side package (stairs + external smart heater)	Height: 900 mm Width: 800 mm Length: 1000 mm + Height: 800 mm Width: 1200 mm Length: 1000 mm Weight 150 kg

B



* If your tub does not have neular or; smart integrated heater; or both these options it will be transported packed on a side on a pellet (option B).