

ENG: The measurements mentioned in the drawings and in TimberIN websites are only approximate data. They will differ from the measurements of the finished product. It is due to the fact that our products are individually designed and hand-made. However, if one or more measurements are very important, please mention before ordering. We will pay big attention to your requirements in the production process. This will ensure that the product will be produced as closely as possible to your requirements.

DE: Die in den Zeichnungen und auf den TimberIN-Websites genannten Maße sind nur ungefähre Angaben. Sie unterscheiden sich von den Maßen des fertigen Produkts. Dies liegt daran, dass unsere Produkte individuell gestaltet und handgefertigt werden. Wenn jedoch eine oder mehrere Messungen sehr wichtig sind, geben Sie dies bitte vor der Bestellung an. Wir werden Ihre Anforderungen im Produktionsprozess sehr berücksichtigen. Dadurch wird sichergestellt, dass das Produkt so genau wie möglich Ihren Anforderungen entspricht.

FR: Les mesures mentionnées dans les dessins et sur les sites Web TimberIN ne sont que des données approximatives. Ils différeront des mesures du produit fini. Cela est dû au fait que nos produits sont conçus individuellement et fabriqués à la main. Cependant, si une ou plusieurs mesures sont très importantes, merci de le mentionner avant de commander. Nous prêterons une grande attention à vos besoins dans le processus de production. Cela garantira que le produit sera fabriqué aussi près que possible de vos besoins.

DK: Målingerne nævnt på tegningerne og på TimberIN-websteder er kun omtrentlige data. De afviger fra målingerne af det færdige produkt. Det skyldes, at vores produkter er individuelt designet og håndlavet. Hvis en eller flere målinger dog er meget vigtige, skal du nævne det før du bestiller. Vi vil være meget opmærksomme på dine krav i produktionsprocessen. Dette vil sikre, at produktet produceres så tæt som muligt efter dine krav.

NO: Målingene nevnt på tegningene og på TimberIN nettsted er bare omtrentlige data. De vil avvike fra målingene av det ferdige produktet. Det skyldes det faktum at produktene våre er individuelt designet og håndlaget. Imidlertid, hvis en eller flere målinger er veldig viktige, må du nevne før du bestiller. Vi vil ta stor vekt på dine krav i produksjonsprosessen. Dette vil sikre at produktet blir produsert så nært som mulig dine behov.

IT: Le misure menzionate nei disegni e nei siti Web di TimberIN sono solo dati approssimativi. Differiranno dalle misure del prodotto finito. È dovuto al fatto che i nostri prodotti sono progettati e realizzati a mano individualmente. Tuttavia, se una o più misurazioni sono molto importanti, si prega di menzionare prima di ordinare. Presteremo grande attenzione alle vostre esigenze nel processo di produzione. Ciò garantirà che il prodotto sarà prodotto il più vicino possibile alle vostre esigenze.

NL: De in de tekening en op TimberIN-websites genoemde metingen zijn slechts benaderende gegevens. Ze zullen verschillen van de afmetingen van het eindproduct. Het is te wijten aan het feit dat onze producten individueel zijn ontworpen en met de hand zijn gemaakt. Als een of meer metingen erg belangrijk zijn, vermeld dit dan voordat u bestelt. We zullen veel aandacht besteden aan uw eisen in het productieproces. Dit zorgt ervoor dat het product zo dicht mogelijk bij uw eisen wordt geproduceerd.

SWE: Mätningarna som nämns på ritningarna och på TimberIN-webbplatser är endast ungefärliga data. De kommer att skilja sig från måtten på den färdiga produkten. Det beror på att våra produkter är individuellt designade och handgjorda. Om en eller flera mätningar är mycket viktiga, berätta dock innan du beställer. Vi kommer att ägna stor uppmärksamhet åt dina krav i produktionsprocessen. Detta kommer att säkerställa att produkten produceras så nära dina krav som möjligt.

PL: Pomiarы wymienione na rysunkach i na stronach internetowych TimberIN są jedynie danymi przybliżonymi. Będą się różnić od pomiarów gotowego produktu. Wynika to z faktu, że nasze produkty są indywidualnie zaprojektowane i wykonane ręcznie. Jeśli jednak co najmniej jeden pomiar jest bardzo ważny, należy o tym wspomnieć przed złożeniem zamówienia. Zwrócimy dużą uwagę na Twoje wymagania w procesie produkcyjnym. Zapewni to, że produkt będzie produkowany jak najbliżej Twoich wymagań.


ELECTRIC OUTDOOR HOT TUB SPA TECHNICAL SHEET



Table of contents

Ø1800 MM CLASSIC STRAIGHT WALLS HOT TUB	3
WITH ELECTRIC HEATER	4
WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER	11
WITH ELECTRIC HEATER + INTERNAL WOOD BURNER	19
WOODEN BOXES FOR SPA SYSTEMS STORAGE.....	26
DELIVERY INFO	27
Ø1800 MM CONICAL WALLS HOT TUB	28
WITH ELECTRIC HEATER	28
WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER	36
WITH ELECTRIC HEATER + INTERNAL WOOD BURNER	44
WOODEN BOXES FOR SPA SYSTEMS STORAGE.....	51
DELIVERY INFO	52
Ø2000 MM CONICAL WALLS HOT TUB	53
WITH ELECTRIC HEATER	53
WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER	60
WOODEN BOXES FOR SPA SYSTEMS STORAGE.....	67
DELIVERY INFO	68


Ø1800 MM CLASSIC STRAIGHT WALLS HOT TUB




MODEL	Ø1800 MM CLASSIC STRAIGHT WALLS HOT TUB
WITH ELECTRIC HEATER	
WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER	
WITH ELECTRIC HEATER + INTERNAL WOOD BURNER	
No. of bathers	6 - 8
Water capacity	1650 l – 1750 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional

 [3D view of this model](#)


WITH ELECTRIC HEATER




MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A 6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	1800 mm
Outside diameter	2080 mm
Height inner	1100 mm
Height outer	1200 mm
Width of the benches	300 mm
Height of the benches	400 mm
Bottom circle diameter	1000 mm
Fiberglass edge width	150 mm




WOODEN LID + WOODEN ROUND EDGE (SILL)



MODEL	WOODEN PARTS
Wooden lid diameter	2080 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	40 kg
Wooden sill width	140 mm




FIBERGLASS LID




MODEL	FIBERGLASS LID
Lid diameter	2100 mm
Weight	30 kg
Insulation thickness (if chosen)	10 mm





LEATHER LID






MODEL	LEATHER LID
Diameter	2200 mm
Weight	20 kg
Side leather overlay	150 mm
Insulation thickness	70 mm




STAIRS VARIETY




"A" type stairs




"C" type stairs



WATER RELEASE




MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC




MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel


WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER



MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A
	6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	1800 mm
Outside diameter	2080 mm
Height inner	1100 mm
Height outer	1200 mm
Width of the benches	300 mm
Height of the benches	400 mm
Bottom circle diameter	1000 mm
Fiberglass edge width	150 mm

EXTERNAL WOOD BURNER


BFTS-50, 22kW




WOODEN LID + WOODEN ROUND EDGE (SILL)



MODEL	WOODEN PARTS
Wooden lid diameter	2080 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	40 kg
Wooden sill width	140 mm




FIBERGLASS LID




MODEL	FIBERGLASS LID
Lid diameter	2100 mm
Weight	30 kg
Insulation thickness (if chosen)	10 mm





LEATHER LID








MODEL	LEATHER LID
Diameter	2200 mm
Weight	20 kg
Side leather overlay	150 mm
Insulation thickness	70 mm



STAIRS VARIETY





"A" type stairs





"C" type stairs

WATER RELEASE




MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC




MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel




WITH ELECTRIC HEATER + INTERNAL WOOD BURNER



MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A
	6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	1800 mm
Outside diameter	2100 mm
Height inner	1100 mm
Width of the benches	400 mm
Height of the benches	400 mm
Bottom circle diameter	1000 mm
Fiberglass edge width	150 mm

INTERNAL WOOD BURNER


BFTV M 18kW




WOODEN LID + WOODEN ROUND EDGE (SILL)




MODEL	WOODEN PARTS
Wooden lid diameter	2100 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	40 kg
Wooden sill width	140 mm





FIBERGLASS LID








MODEL	FIBERGLASS LID
Diameter	2160 mm
Smaller - heater lid measurements	880 x 600 mm
Weight	30 kg
Insulation thickness (if chosen)	10 mm



STAIRS VARIETY




"A" type stairs




"C" type stairs

WATER RELEASE




MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC




MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel

WOODEN BOXES FOR SPA SYSTEMS STORAGE




MODEL	WOODEN BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm

DELIVERY INFO



MODEL	DELIVERY INFO
On the wooden pallet packed model measurements:	Height: 2200 mm Width: 1300 mm Length: 2100 mm Weight 150 kg
Additional side package (SPA systems / heaters / stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 15 - 50 kg


Ø1800 MM CONICAL WALLS HOT TUB




MODEL	Ø1800 MM CONICAL WALLS HOT TUB
WITH ELECTRIC HEATER	
WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER	
WITH ELECTRIC HEATER + INTERNAL WOOD BURNER	
No. of bathers	6 - 8
Water capacity	1400 l -1500 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional

 [3D view of this model](#)


WITH ELECTRIC HEATER





MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A
	6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	1800 mm
Outside diameter	2000 mm
Height inner	850 mm or 950 mm
Height outer	950 mm or 1050 mm
Width of the benches	340 mm
Height of the benches	350 mm
Bottom circle diameter	790 mm
Fiberglass edge width	100 mm



WOODEN LID + WOODEN ROUND EDGE (SILL)




MODEL	WOODEN PARTS
Wooden lid diameter	2100 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	40 kg
Wooden sill width	170 mm




FIBERGLASS LID


MODEL	FIBERGLASS LID
Diameter	2030 mm
Weight	30 kg
Insulation thickness (if chosen)	10 mm





LEATHER LID






MODEL	LEATHER LID
Diameter	2000 mm
Weight	15 kg
Side leather overlay	150 mm
Insulation thickness	70 mm




STAIRS VARIETY




"A" type stairs




"C" type stairs



WATER RELEASE




MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC




MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel




WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER



MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A
	6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	1800 mm
Outside diameter	2000 mm
Height inner	850 mm or 950 mm
Height outer	950 mm or 1050 mm
Width of the benches	340 mm
Height of the benches	350 mm
Bottom circle diameter	790 mm
Fiberglass edge width	100 mm

EXTERNAL WOOD BURNER


BFTS-50, 22kW




WOODEN LID + WOODEN ROUND EDGE (SILL)




MODEL	WOODEN PARTS
Wooden lid diameter	2100 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	40 kg
Wooden sill width	170 mm




FIBERGLASS LID




MODEL	FIBERGLASS LID
Diameter	2030 mm
Weight	30 kg
Insulation thickness (if chosen)	10 mm





LEATHER LID





MODEL	LEATHER LID
Diameter	2000 mm
Weight	15 kg
Side leather overlay	150 mm
Insulation thickness	70 mm



STAIRS VARIETY




"A" type stairs




"C" type stairs

WATER RELEASE





MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC





MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel

WITH ELECTRIC HEATER + INTERNAL WOOD BURNER


MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A 6 kW; 3 phases; 380V; 16A



GENERAL INFO




A-A




MODEL	GENERAL MEASUREMENTS
Inside diameter	1800 mm
Outside diameter	2000 mm
Height inner	850 mm
Height outer	950 mm
Width of the benches	340 mm
Height of the benches	190 - 260 mm
Bottom diameter	650 mm
Bottom circle depth	260 mm
Fiberglass edge width	95 mm
Fiberglass edge height	30-40 mm

INTERNAL WOOD BURNER


BFTV M 18kW




WOODEN LID + WOODEN ROUND EDGE (SILL)




MODEL	WOODEN PARTS
Wooden lid diameter	2100 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	40 kg
Wooden sill width	170 mm





FIBERGLASS LID






MODEL	FIBERGLASS LID
Diameter	2030 mm
Smaller - heater lid measurements	870 x 670 x 60 mm
Weight	30 kg
Insulation thickness (if chosen)	10 mm




STAIRS VARIETY




"A" type stairs




"C" type stairs



WATER RELEASE




MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC




MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel

WOODEN BOXES FOR SPA SYSTEMS STORAGE





MODEL	WOODEN BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm


DELIVERY INFO



MODEL	DELIVERY
On the pallet packed model measurements:	Height: 2200 mm Width: 1300 mm Length: 2100 mm Weight 150 kg
Additional side package (SPA systems / heaters / stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 15 - 50 kg




Ø2000 MM CONICAL WALLS HOT TUB




MODEL	Ø2000 MM CONICAL WALLS HOT TUB
WITH ELECTRIC HEATER	
WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER	
No. of bathers	8 - 12
Water capacity	1550 l
Total weight of the hot tub	150 kg
LED	optional
HYDRO MASSAGE	optional
AIR MASSAGE	optional
FILTRATION	optional

 [3D view of this model](#)


WITH ELECTRIC HEATER





MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A 6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	2030 mm
Outside diameter	2250 mm
Height inner	880 mm
Height outer	980 mm
Width of the benches	400 mm
Height of the benches	180 mm
Bottom circle diameter	930 mm
Fiberglass edge width	110 mm





WOODEN LID + WOODEN ROUND EDGE (SILL)



MODEL	WOODEN PARTS
Wooden lid diameter	2270 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	50 kg
Wooden sill width	140 mm





FIBERGLASS LID








MODEL	FIBERGLASS LID
Diameter	2290 mm
Weight	35 kg
Insulation thickness (if chosen)	10 mm



STAIRS VARIETY







"A" type stairs



"C" type stairs


WATER RELEASE




MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC

MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel



WITH ELECTRIC HEATER + EXTERNAL WOOD BURNER



MODEL	ELECTRIC HEATER
ADJUSTABLE THERMOSTAT WITH TEMPERATURE RANGE	0-45° C
CONNECTION TYPES	6 kW; 1 phase; 220V; 32A
	6 kW; 3 phases; 380V; 16A




GENERAL INFO




MODEL	GENERAL MEASUREMENTS
Inside diameter	2030 mm
Outside diameter	2250 mm
Height inner	880 mm
Height outer	980 mm
Width of the benches	400 mm
Height of the benches	180 mm
Bottom circle diameter	930 mm
Fiberglass edge width	110 mm

EXTERNAL WOOD BURNER


BFTS-50, 22kW




WOODEN LID + WOODEN ROUND EDGE (SILL)



MODEL	WOODEN PARTS
Wooden lid diameter	2270 mm
Wooden lid insulation (if chosen)	30 mm
Wooden lid weight	50 kg
Wooden sill width	140 mm
Wood type	Spruce





FIBERGLASS LID






MODEL	FIBERGLASS LID
Diameter	2290 mm
Weight	35 kg
Insulation thickness (if chosen)	10 mm




STAIRS VARIETY







"A" type stairs



"C" type stairs




WATER RELEASE



MODEL	WATER DRAIN
Water drain length	400-920 mm
Water drain inside diameter	45 mm
Water drain outside diameter	50 mm
Material	PVC


MODEL	EXTERNAL WATER TAP
External tap diameter	1 inch
Material	316 type of stainless steel

WOODEN BOXES FOR SPA SYSTEMS STORAGE



MODEL	WOODEN BOX
Filtration with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm
Electric heater with wooden box	A: 400 mm B: 600 mm C: 600 mm
Filtration + Electric heater with wooden box	A: 800 mm B: 700 mm C: 600 mm
Filtration + Electric heater + UV filter with wooden box	A: Height of the hot tub B: 700 mm C: 600 mm

DELIVERY INFO



MODEL	DELIVERY INFO
On the wooden pallet packed model measurements:	Height: 2400 mm Width: 1300 mm Length: 2300 mm Weight 150 kg
Additional side package (SPA systems / heaters / stairs)	Height: 900 mm Width: 800 mm Length: 1000 mm Weight 15 - 50 kg

