

**ENG:** The measurements mentioned in the drawings and in TimberIN websites are only approximate data. They will differ from the measurements of the finished product. It is due to the fact that our products are individually designed and hand-made. However, if one or more measurements are very important, please mention before ordering. We will pay big attention to your requirements in the production process. This will ensure that the product will be produced as closely as possible to your requirements.

**DE:** Die in den Zeichnungen und auf den TimberIN-Websites genannten Maße sind nur ungefähre Angaben. Sie unterscheiden sich von den Maßen des fertigen Produkts. Dies liegt daran, dass unsere Produkte individuell gestaltet und handgefertigt werden. Wenn jedoch eine oder mehrere Messungen sehr wichtig sind, geben Sie dies bitte vor der Bestellung an. Wir werden Ihre Anforderungen im Produktionsprozess sehr berücksichtigen. Dadurch wird sichergestellt, dass das Produkt so genau wie möglich Ihren Anforderungen entspricht.

**FR:** Les mesures mentionnées dans les dessins et sur les sites Web TimberIN ne sont que des données approximatives. Ils différeront des mesures du produit fini. Cela est dû au fait que nos produits sont conçus individuellement et fabriqués à la main. Cependant, si une ou plusieurs mesures sont très importantes, merci de le mentionner avant de commander. Nous prêterons une grande attention à vos besoins dans le processus de production. Cela garantira que le produit sera fabriqué aussi près que possible de vos besoins.

**DK:** Målingerne nævnt på tegningerne og på TimberIN-websteder er kun omtrentlige data. De afviger fra målingerne af det færdige produkt. Det skyldes, at vores produkter er individuelt designet og håndlavet. Hvis en eller flere målinger dog er meget vigtige, skal du nævne det før du bestiller. Vi vil være meget opmærksomme på dine krav i produktionsprocessen. Dette vil sikre, at produktet produceres så tæt som muligt efter dine krav.

**NO:** Målingene nevnt på tegningene og på TimberIN nettsteder er bare omtrentlige data. De vil avvike fra målingene av det ferdige produktet. Det skyldes det faktum at produktene våre er individuelt designet og håndlaget. Imidlertid, hvis en eller flere målinger er veldig viktige, må du nevne før du bestiller. Vi vil ta stor vekt på dine krav i produksjonsprosessen. Dette vil sikre at produktet blir produsert så nært som mulig dine behov.

**IT:** Le misure menzionate nei disegni e nei siti Web di TimberIN sono solo dati approssimativi. Differiranno dalle misure del prodotto finito. È dovuto al fatto che i nostri prodotti sono progettati e realizzati a mano individualmente. Tuttavia, se una o più misurazioni sono molto importanti, si prega di menzionare prima di ordinare. Presteremo grande attenzione alle vostre esigenze nel processo di produzione. Ciò garantirà che il prodotto sarà prodotto il più vicino possibile alle vostre esigenze.

**NL:** De in de tekening en op TimberIN-websites genoemde metingen zijn slechts benaderende gegevens. Ze zullen verschillen van de afmetingen van het eindproduct. Het is te wijten aan het feit dat onze producten individueel zijn ontworpen en met de hand zijn gemaakt. Als een of meer metingen erg belangrijk zijn, vermeld dit dan voordat u bestelt. We zullen veel aandacht besteden aan uw eisen in het productieproces. Dit zorgt ervoor dat het product zo dicht mogelijk bij uw eisen wordt geproduceerd.

**SWE:** Mätningarna som nämns på ritningarna och på TimberIN-webbplatser är endast ungefärliga data. De kommer att skilja sig från måtten på den färdiga produkten. Det beror på att våra produkter är individuellt designade och handgjorda. Om en eller flera mätningar är mycket viktiga, berätta dock innan du beställer. Vi kommer att ägna stor uppmärksamhet åt dina krav i produktionsprocessen. Detta kommer att säkerställa att produkten produceras så nära dina krav som möjligt.

**PL:** Pomiarы wymienione na rysunkach i na stronach internetowych TimberIN są jedynie danymi przybliżonymi. Będą się różnić od pomiarów gotowego produktu. Wynika to z faktu, że nasze produkty są indywidualnie zaprojektowane i wykonane ręcznie. Jeśli jednak co najmniej jeden pomiar jest bardzo ważny, należy o tym wspomnieć przed złożeniem zamówienia. Zwrócimy dużą uwagę na Twoje wymagania w procesie produkcyjnym. Zapewni to, że produkt będzie produkowany jak najbliżej Twoich wymagań.

# NORDIC FLEX HOT TUB


## TECHNICAL SHEET



### Table of contents

|                                           |    |
|-------------------------------------------|----|
| NORDIC FLEX COMPARISON .....              | 4  |
| GENERAL MEASUREMENTS (1) .....            | 5  |
| GENERAL MEASUREMENTS (2) .....            | 6  |
| TYPE OF BENCHES .....                     | 7  |
| STAIRS VARIETY (1).....                   | 8  |
| STAIRS VARIETY (2).....                   | 9  |
| EXTERNAL WOOD BURNER (1).....             | 10 |
| EXTERNAL WOOD BURNER (2).....             | 11 |
| ELECTRIC HEATER.....                      | 12 |
| INTERNAL WOOD BURNER (1).....             | 13 |
| INTERNAL WOOD BURNER (2).....             | 14 |
| INTEGRATED WOOD BURNER.....               | 15 |
| WOODEN LID AND ROUND EDGE (SILL).....     | 16 |
| WATER RELEASE.....                        | 17 |
| WOODEN BOXES FOR SPA SYSTEMS STORAGE..... | 18 |
| DELIVERY INFO .....                       | 19 |

# NORDIC FLEX POLYPROPYLENE HOT TUB



| MODEL              | NORDIC FLEX                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Diameter options   | <ul style="list-style-type: none"><li>▪ 1400 mm</li><li>▪ 1600 mm</li><li>▪ 1800 mm</li><li>▪ 2000 mm</li><li>▪ 2200 mm</li></ul>                                                                                                                                                                                                                                                                                |
| Heating options    | <ul style="list-style-type: none"><li>▪ External wood stove 22 - 40 kW by diameter</li><li>▪ Internal wood stove</li><li>▪ Integrated wood stove</li><li>▪ Electric heater 6 kW</li><li>▪ Hybrid: electric and wood stove</li><li>▪ Hybrid: heat pump and wood stove</li><li>▪ External pellet stove 30 kW</li><li>▪ Gas heater</li><li>▪ Rexener PR200 bioheater</li><li>▪ Connections for own heater</li></ul> |
| Cladding options   | <ul style="list-style-type: none"><li>▪ Spruce; Larch; Thermowood</li><li>▪ Oak; WPC black; WPC brown</li></ul>                                                                                                                                                                                                                                                                                                  |
| SPA system options | <ul style="list-style-type: none"><li>▪ LED lights (2 or 4)</li><li>▪ Hydro massage</li><li>▪ Air massage</li><li>▪ Sand filtration</li><li>▪ Smart kits (Wi-Fi)</li></ul>                                                                                                                                                                                                                                       |
| Other options      | <ul style="list-style-type: none"><li>▪ Wall and bottom insulation</li><li>▪ Polypropylene top edge</li><li>▪ Insulated leather lid</li></ul>                                                                                                                                                                                                                                                                    |

 [3D view of this model](#)


# NORDIC FLEX COMPARISON



| <b>Inside hot tub diameter</b>    | <b>1400 mm</b> | <b>1600 mm</b> | <b>1800 mm</b> | <b>2000 mm</b> | <b>2200 mm</b> |
|-----------------------------------|----------------|----------------|----------------|----------------|----------------|
| <b>No. of bathers</b>             | 2-3            | 3-4            | 4-6            | 6-8            | 8-10           |
| <b>Water volume (liters)*</b>     | ~ 1380 l       | ~ 1800 l       | ~ 2280 l       | ~ 2800 l       | ~ 3400 l       |
| <b>External diameter (top)</b>    | 1720 mm        | 1920 mm        | 2120 mm        | 2320 mm        | 2520 mm        |
| <b>External diameter (bottom)</b> | 1440 mm        | 1640 mm        | 1840 mm        | 2040 mm        | 2240 mm        |
| <b>External height</b>            | 1040 mm        | 1040 mm        | 1040 mm        | 1040 mm        | 1040 mm        |
| <b>Hot tub weight</b>             | 110 kg         | 200 kg         | 250 kg         | 280 kg         | 300 kg         |
| <b>External stove output</b>      | 22 kW          | 22 kW          | 22 kW          | 28 kW          | 40 kW          |



\* By choosing polypropylene closed benches water volume can be reduced by around 25%

## GENERAL MEASUREMENTS (1)




- ✚ Bottom insulation adds additional 70 mm to the total tub height
- ✚ Walls insulation adds additional 160 mm to the total tub bottom diameter

## GENERAL MEASUREMENTS (2)




- ✚ Bottom insulation adds additional 70 mm to the total tub height
- ✚ Walls insulation adds additional 160 mm to the total tub bottom diameter


## TYPE OF BENCHES




Polypropylene **closed** benches



Wooden benches




Polypropylene **open** benches




Wooden benches (**sunny type**)

## STAIRS VARIETY (1)





Basic 3 stage stairs (Ladder)






"B" type stairs



## STAIRS VARIETY (2)




**"A" type stairs**



**"C" type stairs**




## EXTERNAL WOOD BURNER (1)




# EXTERNAL WOOD BURNER (2)

BFTS-50, 22kW




**External stove output:** 1400 to 1800 mm tubs 22 kW; 2000 mm tub 28 kW; 2200 mm tub 40 kW

# ELECTRIC HEATER




| MODEL                                           | ELECTRIC HEATER            |
|-------------------------------------------------|----------------------------|
|                                                 |                            |
| ADJUSTABLE THERMOSTAT<br>WITH TEMPERATURE RANGE | 0-45° C                    |
| CONNECTION TYPES                                | 6 kW; 1 phase; 220V; 26A   |
|                                                 | 6 kW; 3 phases; 380V; 14A  |
| MORE POWERFUL HEATER                            | 9 kW; 3 phases; 380V; 14A  |
|                                                 | 12 kW; 3 phases; 380V; 18A |
|                                                 | 15 kW; 3 phases; 380V; 22A |

## INTERNAL WOOD BURNER (1)




# INTERNAL WOOD BURNER (2)


BFTV M 18kW




# INTEGRATED WOOD BURNER (30 kW)




## WOODEN LID AND ROUND EDGE (SILL)



| MODEL                             | WOODEN PARTS         |
|-----------------------------------|----------------------|
| Wooden lid measurements           | 1720 mm .... 2520 mm |
| Wooden lid insulation (if chosen) | 30 mm                |
| Wooden lid weight                 | 30-40 kg each part   |
| Wooden sill width                 | 160 mm               |
| Wooden lid and edge               | Spruce or Thermowood |
| Polypropylene edge                | Also offered         |
| Insulated leather lid             | Also offered         |




## WATER RELEASE



### **Without bottom insulation**

External water tap is installed in the wall




### **With bottom insulation**

External water tap is installed in the bottom


\*Some water is expected to remain on the bottom

# WOODEN BOXES FOR SPA SYSTEMS STORAGE



| MODEL                              | WOODEN BOX                                         |
|------------------------------------|----------------------------------------------------|
| Air massage system with wooden box | A: 950 mm<br>B: 300 mm<br>C: 700 mm                |
| Hydro massage with wooden box      | A: 500 mm<br>B: 300 mm<br>C: 600 mm                |
| Sand filtration with wooden box    | A: Height of the hot tub<br>B: 700 mm<br>C: 700 mm |
| Electric heater with wooden box    | A: 600 mm<br>B: 400 mm<br>C: 600 mm                |

## DELIVERY INFO



| MODEL                                                 | NORDIC FLEX<br>DELIVERY                              |
|-------------------------------------------------------|------------------------------------------------------|
| On side packed hot tub<br>measurements:               | <b><u>1400 mm hot tub:</u></b><br>to be confirmed    |
|                                                       | <b><u>1600 mm hot tub:</u></b><br>2x1.25x2           |
|                                                       | <b><u>1800 mm hot tub:</u></b><br>2.10x1.25x2.24     |
|                                                       | <b><u>2000 mm hot tub:</u></b><br>2.30x1.25x2.42     |
|                                                       | <b><u>2200 mm hot tub:</u></b><br>2.48x1.28x2.58     |
|                                                       | <b>Weight 110 - 300 kg</b>                           |
| Additional side package<br>(stairs / heaters / boxes) | Height: 1300 mm<br>Width: 1300 mm<br>Length: 1300 mm |
|                                                       | Weight ~50 kg                                        |